


## Guide post 04

Słup prowadzący z kołnierzem



### Opis:

Słup prowadzący z kołnierzem

### Właściwości:

|                       |                |
|-----------------------|----------------|
| Materiał bazowy       | Stal hartowana |
| Głębokość utwardzania | 1 + 0,5 mm     |
| Twardość              | 58 ± 2 HRC     |

### Warianty:

| Numer przedmiotu | Nazwa produktu | Ø zewnętrzna<br>D | Długość<br>L | D1 | I1  | I2  | f1 | f2 |
|------------------|----------------|-------------------|--------------|----|-----|-----|----|----|
| 84418070         | 04 18-70       | 18                | 70           | 26 | 90  | 3,5 | 8  | 3  |
| 84418080         | 04 18-80       | 18                | 80           | 26 | 100 | 3,5 | 8  | 3  |
| 84418090         | 04 18-90       | 18                | 90           | 26 | 110 | 3,5 | 8  | 3  |
| 84418100         | 04 18-100      | 18                | 100          | 26 | 120 | 3,5 | 8  | 3  |
| 84418110         | 04 18-110      | 18                | 110          | 26 | 130 | 3,5 | 8  | 3  |
| 84418120         | 04 18-120      | 18                | 120          | 26 | 140 | 3,5 | 8  | 3  |
| 84418130         | 04 18-130      | 18                | 130          | 26 | 150 | 3,5 | 8  | 3  |
| 84418140         | 04 18-140      | 18                | 140          | 26 | 160 | 3,5 | 8  | 3  |
| 84418150         | 04 18-150      | 18                | 150          | 26 | 170 | 3,5 | 8  | 3  |
| 84418160         | 04 18-160      | 18                | 160          | 26 | 180 | 3,5 | 8  | 3  |
| 84419070         | 04 19-70       | 19                | 70           | 26 | 90  | 3,5 | 8  | 3  |
| 84419080         | 04 19-80       | 19                | 80           | 26 | 100 | 3,5 | 8  | 3  |
| 84419090         | 04 19-90       | 19                | 90           | 26 | 110 | 3,5 | 8  | 3  |
| 84419100         | 04 19-100      | 19                | 100          | 26 | 120 | 3,5 | 8  | 3  |
| 84419110         | 04 19-110      | 19                | 110          | 26 | 130 | 3,5 | 8  | 3  |
| 84419120         | 04 19-120      | 19                | 120          | 26 | 140 | 3,5 | 8  | 3  |
| 84419130         | 04 19-130      | 19                | 130          | 26 | 150 | 3,5 | 8  | 3  |
| 84419140         | 04 19-140      | 19                | 140          | 26 | 160 | 3,5 | 8  | 3  |
| 84419150         | 04 19-150      | 19                | 150          | 26 | 170 | 3,5 | 8  | 3  |
| 84419160         | 04 19-160      | 19                | 160          | 26 | 180 | 3,5 | 8  | 3  |
| 84424070         | 04 24-70       | 24                | 70           | 33 | 94  | 5   | 10 | 4  |
| 84424080         | 04 24-80       | 24                | 80           | 33 | 104 | 5   | 10 | 4  |
| 84424090         | 04 24-90       | 24                | 90           | 33 | 114 | 5   | 10 | 4  |
| 84424100         | 04 24-100      | 24                | 100          | 33 | 124 | 5   | 10 | 4  |
| 84424110         | 04 24-110      | 24                | 110          | 33 | 134 | 5   | 10 | 4  |
| 84424120         | 04 24-120      | 24                | 120          | 33 | 144 | 5   | 10 | 4  |

## Guide post 04

Słup prowadzący z kołnierzem



| Numer przedmiotu | Nazwa produktu | Ø zewnętrzna<br>D | Długość<br>L | D1 | I1  | I2  | f1 | f2 |
|------------------|----------------|-------------------|--------------|----|-----|-----|----|----|
| 84424130         | 04 24-130      | 24                | 130          | 33 | 154 | 5   | 10 | 4  |
| 84424140         | 04 24-140      | 24                | 140          | 33 | 164 | 5   | 10 | 4  |
| 84424150         | 04 24-150      | 24                | 150          | 33 | 174 | 5   | 10 | 4  |
| 84424160         | 04 24-160      | 24                | 160          | 33 | 184 | 5   | 10 | 4  |
| 84424170         | 04 24-170      | 24                | 170          | 33 | 194 | 5   | 10 | 4  |
| 84424180         | 04 24-180      | 24                | 180          | 33 | 204 | 5   | 10 | 4  |
| 84425070         | 04 25-70       | 25                | 70           | 33 | 94  | 5   | 10 | 4  |
| 84425080         | 04 25-80       | 25                | 80           | 33 | 104 | 5   | 10 | 4  |
| 84425090         | 04 25-90       | 25                | 90           | 33 | 114 | 5   | 10 | 4  |
| 84425100         | 04 25-100      | 25                | 100          | 33 | 124 | 5   | 10 | 4  |
| 84425110         | 04 25-110      | 25                | 110          | 33 | 134 | 5   | 10 | 4  |
| 84425120         | 04 25-120      | 25                | 120          | 33 | 144 | 5   | 10 | 4  |
| 84425130         | 04 25-130      | 25                | 130          | 33 | 154 | 5   | 10 | 4  |
| 84425140         | 04 25-140      | 25                | 140          | 33 | 164 | 5   | 10 | 4  |
| 84425150         | 04 25-150      | 25                | 150          | 33 | 174 | 5   | 10 | 4  |
| 84425160         | 04 25-160      | 25                | 160          | 33 | 184 | 5   | 10 | 4  |
| 84425170         | 04 25-170      | 25                | 170          | 33 | 194 | 5   | 10 | 4  |
| 84425180         | 04 25-180      | 25                | 180          | 33 | 204 | 5   | 10 | 4  |
| 84425200         | 04 25-200      | 25                | 200          | 33 | 224 | 5   | 10 | 4  |
| 84425225         | 04 32-90       | 32                | 90           | 41 | 120 | 6,5 | 10 | 4  |
| 84425240         | 04 32-100      | 32                | 100          | 41 | 130 | 6,5 | 10 | 4  |
| 84432110         | 04 32-110      | 32                | 110          | 41 | 140 | 6,5 | 10 | 4  |
| 84432120         | 04 32-120      | 32                | 120          | 41 | 150 | 6,5 | 10 | 4  |
| 84432130         | 04 32-130      | 32                | 130          | 41 | 160 | 6,5 | 10 | 4  |
| 84432140         | 04 32-140      | 32                | 140          | 41 | 170 | 6,5 | 10 | 4  |
| 84432150         | 04 32-150      | 32                | 150          | 41 | 180 | 6,5 | 10 | 4  |
| 84432160         | 04 32-160      | 32                | 160          | 41 | 190 | 6,5 | 10 | 4  |
| 84432170         | 04 32-170      | 32                | 170          | 41 | 200 | 6,5 | 10 | 4  |
| 84432180         | 04 32-180      | 32                | 180          | 41 | 210 | 6,5 | 10 | 4  |
| 84432190         | 04 32-220      | 32                | 220          | 41 | 250 | 6,5 | 10 | 4  |
| 84432200         | 04 32-200      | 32                | 200          | 41 | 230 | 6,5 | 10 | 4  |
| 84432220         | 04 32-220      | 32                | 220          | 41 | 250 | 6,5 | 10 | 4  |
| 84432240         | 04 32-240      | 32                | 240          | 41 | 270 | 6,5 | 10 | 4  |
| 84432280         | 04 32-280      | 32                | 280          | 41 | 310 | 6,5 | 10 | 4  |
| 84440100         | 04 40-100      | 40                | 100          | 51 | 137 | 6,5 | 12 | 5  |
| 84440110         | 04 40-110      | 40                | 110          | 51 | 147 | 6,5 | 12 | 5  |
| 84440120         | 04 40-120      | 40                | 120          | 51 | 157 | 6,5 | 12 | 5  |
| 84440130         | 04 40-130      | 40                | 130          | 51 | 167 | 6,5 | 12 | 5  |
| 84440140         | 04 40-140      | 40                | 140          | 51 | 177 | 6,5 | 12 | 5  |
| 84440150         | 04 40-150      | 40                | 150          | 51 | 187 | 6,5 | 12 | 5  |
| 84440160         | 04 40-160      | 40                | 160          | 51 | 197 | 6,5 | 12 | 5  |
| 84440170         | 04 40-170      | 40                | 170          | 51 | 207 | 6,5 | 12 | 5  |
| 84440180         | 04 40-180      | 40                | 180          | 51 | 217 | 6,5 | 12 | 5  |
| 84440200         | 04 40-200      | 40                | 200          | 51 | 237 | 6,5 | 12 | 5  |
| 84444220         | 04 40-220      | 40                | 220          | 51 | 257 | 6,5 | 12 | 5  |
| 84440240         | 04 40-240      | 40                | 240          | 51 | 277 | 6,5 | 12 | 5  |

## Guide post 04

Słup prowadzący z kołnierzem



| Numer przedmiotu | Nazwa produktu | Ø zewnętrzna<br>D | Długość<br>L | D1 | I1  | I2  | f1 | f2 |
|------------------|----------------|-------------------|--------------|----|-----|-----|----|----|
| 84440280         | 04 40-280      | 40                | 280          | 51 | 317 | 6,5 | 12 | 5  |
| 84440315         | 04 40-315      | 40                | 315          | 51 | 352 | 6,5 | 12 | 5  |
| 84450110         | 04 50-110      | 50                | 110          | 64 | 155 | 6,5 | 12 | 5  |
| 84450120         | 04 50-120      | 50                | 120          | 64 | 165 | 6,5 | 12 | 5  |
| 84450130         | 04 50-130      | 50                | 130          | 64 | 175 | 6,5 | 12 | 5  |
| 84450140         | 04 50-140      | 50                | 140          | 64 | 185 | 6,5 | 12 | 5  |
| 84450150         | 04 50-150      | 50                | 150          | 64 | 195 | 6,5 | 12 | 5  |
| 84450160         | 04 50-160      | 50                | 160          | 64 | 205 | 6,5 | 12 | 5  |
| 84450170         | 04 50-170      | 50                | 170          | 64 | 215 | 6,5 | 12 | 5  |
| 84450180         | 04 50-180      | 50                | 180          | 64 | 225 | 6,5 | 12 | 5  |
| 84450200         | 04 50-200      | 50                | 200          | 64 | 245 | 6,5 | 12 | 5  |
| 84450220         | 04 50-220      | 50                | 220          | 64 | 265 | 6,5 | 12 | 5  |
| 84450240         | 04 50-240      | 50                | 240          | 64 | 285 | 6,5 | 12 | 5  |
| 84450280         | 04 50-280      | 50                | 280          | 64 | 325 | 6,5 | 12 | 5  |
| 84450320         | 04 50-320      | 50                | 320          | 64 | 365 | 6,5 | 12 | 5  |
| 84450380         | 04 50-360      | 50                | 360          | 64 | 405 | 6,5 | 12 | 5  |
| 84450400         | 04 50-400      | 50                | 400          | 64 | 445 | 6,5 | 12 | 5  |
| 84463120         | 04 63-120      | 63                | 120          | 76 | 169 | 6,5 | 12 | 5  |
| 84463140         | 04 63-140      | 63                | 140          | 76 | 189 | 6,5 | 12 | 5  |
| 84463160         | 04 63-160      | 63                | 160          | 76 | 209 | 6,5 | 12 | 5  |
| 84463180         | 04 63-180      | 63                | 180          | 76 | 229 | 6,5 | 12 | 5  |
| 84463200         | 04 63-200      | 63                | 200          | 76 | 249 | 6,5 | 12 | 5  |
| 84463220         | 04 63-220      | 63                | 220          | 76 | 269 | 6,5 | 12 | 5  |
| 84463240         | 04 63-240      | 63                | 240          | 76 | 289 | 6,5 | 12 | 5  |
| 84463280         | 04 63-280      | 63                | 280          | 76 | 329 | 6,5 | 12 | 5  |
| 84463320         | 04 63-320      | 63                | 320          | 76 | 369 | 6,5 | 12 | 5  |
| 84463360         | 04 63-360      | 63                | 360          | 76 | 409 | 6,5 | 12 | 5  |
| 84463400         | 04 63-400      | 63                | 400          | 76 | 449 | 6,5 | 12 | 5  |
| 84480120         | 04 80-120      | 80                | 120          | 93 | 180 | 6,5 | 12 | 5  |
| 84480140         | 04 80-140      | 80                | 140          | 93 | 200 | 6,5 | 12 | 5  |
| 84480160         | 04 80-160      | 80                | 160          | 93 | 220 | 6,5 | 12 | 5  |
| 84480180         | 04 80-180      | 80                | 180          | 93 | 240 | 6,5 | 12 | 5  |
| 84480200         | 04 80-200      | 80                | 200          | 93 | 260 | 6,5 | 12 | 5  |
| 84480220         | 04 80-220      | 80                | 220          | 93 | 280 | 6,5 | 12 | 5  |
| 84480240         | 04 80-240      | 80                | 240          | 93 | 300 | 6,5 | 12 | 5  |
| 84480280         | 04 80-280      | 80                | 280          | 93 | 340 | 6,5 | 12 | 5  |
| 84480320         | 04 80-320      | 80                | 320          | 93 | 380 | 6,5 | 12 | 5  |
| 84480360         | 04 80-360      | 80                | 360          | 93 | 420 | 6,5 | 12 | 5  |
| 84480400         | 04 80-400      | 80                | 400          | 93 | 460 | 6,5 | 12 | 5  |